



bio
660 Speedvale Ave. West,
Suite #205, Guelph ON, N1K 1E5
p: 519.767.2665
f: 519.767.2502
www.biobeef.com

Bull Evaluation Centre Report

201016 WEST WIND BLONDES

(End of Test)

Test Date: **04 Mar 2010** Days on Test: **112**

Centre Manager: **M. FLESCH AND S. BILTON**

Start of Test Date: **12 Nov 2009**

Phone #: **403-549-2371**

End of Test Date: **04 Mar 2010**

E Mail: **westwind@telusplanet.net**

Pick Up Date:

Address: **P. O. BOX 334 , STAVELY , AB , T0L 1Z0**

Ration Statement:

- Note:**
- 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.**
 - 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to our Herd Evaluation Service or bioTrack. If no data is submitted to BIO's Herd Evaluations Services, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not be eligible for awards that are offered from time to time.**
 - 3. Give the office a call for worksheets or instructions on using bioTrack (on-line entry) to submit your herd data.**

QUEBEC BLUE PAPER - While there are other requirements that the bull must meet (BVD test, Canadian registration, etc.) the following bulls based on their performance, meet the requirements as outlined in the guidelines for Quebec Blue Paper. Please note that these bulls qualify with their current end of test data and evaluations, over time the evaluations can change and bulls may no longer qualify.

The bulls that qualify are: 0004, 0008, 0018, 0027, 0029, 0031, 0041, 0082, 0094, 0133, 0144, 0241, 0416.

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- ♦ Objectively Compare all animals using our across breed comparisons -ABCs - Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- ♦ Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.
 - Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.
 - Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.
 - Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.
- ♦ Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- ♦ Genetic Evaluations - the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ♦ ABC - Across Breed EPD or Comparison - Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- ♦ Accuracy - Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- ♦ BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ♦ ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (lbs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (lbs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (lbs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent unassisted calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (lbs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/Mothering ability ABC (lbs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (square inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Bull Evaluation EOT Report

201016 WEST WIND BLONDES



Genetic Evaluations (09 Mar 2010)

Tag **0004** Pen **4** Tattoo **SMB 4W**
 Contact **SHIRLEY M. BILTON - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **15Feb2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WINDANCE PINA COLADA 4P**
 DamSire **HANOVER SPECIAL 25D**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	29	42	75	52	30	50	1	62	3	9	23
ABC Acc	-1 35	-2 58	42 49	20 25	20 51	62 50	-1.10 52	.19 47	-0.33 47	-1.10 63	1964
%wb	61	69	88	79	87	89	55	21	43	54	68

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	91	723	103	950	1320	3.30	3.46			3	16.2	15.7	3.55	3.39	A-AA	34.0	33.4

Tag **0008** Pen **4** Tattoo **NOR 8W**
 Contact **MYRNA FLESCH - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **05Mar2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS FLAURETTE 8F**
 DamSire **GELSTAR 801X T**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	33	43	60	59	18	32	2	50	5	11	14
ABC Acc	-1 38	-3 62	37 50	21 28	15 53	53 52	-1.01 53	.07 48	-0.30 47	-0.98 64	1607
%wb	68	71	79	86	74	79	74	11	65	62	50

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	94	718	102	915	1260	3.11	3.46			3	15.4	15.4	3.55	3.56	A-AA	34.5	34.5

Tag **0018** Pen **4** Tattoo **SMB 018W**
 Contact **SHIRLEY M. BILTON - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **12Jan2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS MARLENE 18M**
 DamSire **WEST WINDS HERDSMAN 32H**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	5	14	97	44	39	82	1	80	10	2	30
ABC Acc	-5 36	2.8 60	56 51	19 27	23 54	79 53	-1.19 54	.38 49	-0.25 49	-1.77 64	2239
%wb	6	12	99	70	93	98	33	50	87	13	77

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	96	808	118	1125	1500	3.30	3.61			3	17.8	16.2	4.00	3.51	AA	33.0	31.1

Tag **0027** Pen **4** Tattoo **SMB 27W**
 Contact **SHIRLEY M. BILTON - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **30Jan2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS KHRISTEN 127K**
 DamSire **WEST WINDS HORATIO 20H**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	20	21	80	64	46	65	1	68	1	13	25
ABC Acc	-2 34	1.8 60	43 50	22 27	26 53	69 52	-1.16 52	.25 47	-0.39 47	-0.82 62	2029
%wb	40	26	90	89	95	94	39	28	16	72	71

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	97	751	107	1040	1440	3.62	3.62			3	17.0	16.0	3.00	2.75	A	36.0	34.8

Tag **0029** Pen **4** Tattoo **NOR 29W**
 Contact **MYRNA FLESCH - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **01Jan2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS PATRICIA 29P**
 DamSire **WEST WINDS MINUTEMAN 44M**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	61	74	82	41	5	26	1	61	1	16	15
ABC Acc	2 35	-2.8 59	44 50	18 26	5 53	49 52	-1.15 53	.17 48	-0.41 48	-0.64 64	1652
%wb	94	96	92	67	32	73	39	19	12	84	53

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	85	729	103	1130	1445	2.79	3.38			3	17.5	15.6	3.05	2.61	A	37.5	35.2

Bull Evaluation EOT Report

201016 WEST WIND BLONDES



Genetic Evaluations (09 Mar 2010)

Tag **0031** Pen **4** Tattoo **SMB 31W**
 Contact **SHIRLEY M. BILTON - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **27Feb2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS LADY ROYALE 314L**
 DamSire **ROYAL TRADITION TWO 5B**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	28	29	71	69	36	52	1	80	5	3	30
ABC Acc	-1 37	1.0 61	40 51	23 27	23 52	63 52	-1.12 50	.37 45	-.30 45	-1.58 62	2220
%wb	59	43	86	91	91	90	49	47	66	19	77

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	94	726	103	965	1370	3.68	3.70				3	17.3	17.2	3.45	3.40	A	32.5	32.3

Tag **0041** Pen **4** Tattoo **SMB 41W**
 Contact **SHIRLEY M. BILTON - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **05Jan2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS SNOOPY 30S**
 Dam **WEST WINDS KALI 41K**
 DamSire **HANOVER SPECIAL 25D**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	19	26	96	47	29	72	1	96	8	18	54
ABC Acc	-2 33	1.3 60	53 50	19 28	20 52	73 51	-1.10 52	.69 47	-.27 47	-.57 64	2883
%wb	37	37	98	74	86	96	54	86	79	87	92

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	93	797	113	1175	1500	2.93	3.55				3	17.9	16.1	3.75	3.24	A-AA	36.5	34.4

Tag **0082** Pen **4** Tattoo **NOR 82W**
 Contact **MYRNA FLESCH - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **26Jan2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS PIPER 28P**
 DamSire **WEST WINDS MINUTEMAN 44M**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	12	27	93	50	10	47	4	59	4	4	14
ABC Acc	-3 34	1.2 58	50 49	20 25	11 53	61 51	-1.10 52	.16 47	-.31 47	-1.56 63	1607
%wb	21	38	97	78	57	88	87	17	57	21	50

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	92	796	113	1065	1425	3.23	3.54				4	16.9	15.8	3.65	3.31	A-AA	33.0	31.6

Tag **0094** Pen **4** Tattoo **NOR 94W**
 Contact **MYRNA FLESCH - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **14Feb2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS SAMANTHA 249S**
 DamSire **WEST WINDS MINUTEMAN 44M**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	34	44	98	87	9	64	1	65	1	11	22
ABC Acc	0 35	-.4 59	59 50	28 23	9 51	69 51	-1.09 52	.21 47	-.38 47	-.98 63	1919
%wb	69	74	99	97	50	94	57	24	19	61	64

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	88	871	124	1085	1380	2.62	3.60				3	17.0	16.4	3.15	3.00	A	34.5	33.8

Tag **0133** Pen **4** Tattoo **SMB 133W**
 Contact **SHIRLEY M. BILTON - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **25Jan2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS LAURETTE 133L**
 DamSire **WEST WINDS HERDSMAN 32H**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	19	37	93	38	14	53	1	85	16	36	36
ABC Acc	-2 36	.2 60	50 51	17 27	13 54	64 53	-1.12 54	.43 49	-.20 49	.15 63	2392
%wb	37	60	97	62	68	91	47	58	94	98	80

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	93	737	108	1075	1420	3.11	3.52				3	17.7	16.5	4.20	3.80	AA	40.0	38.6

Bull Evaluation EOT Report

201016 WEST WIND BLONDES



Genetic Evaluations (09 Mar 2010)

Tag **0144** Pen **4** Tattoo **SMB 144W**
 Contact **SHIRLEY M. BILTON - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **12Jan2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS PATTY 141P**
 DamSire **WEST WINDS MINUTEMAN 44M**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	30	44	83	70	4	24	2	49	3	3	8
ABC Acc	-1 35	-4 60	45 51	23 25	4 54	48 53	-1.04 54	.05 49	-32 49	-1.64 64	1249
%wb	63	74	92	91	28	72	67	9	49	18	28

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	91	749	110	1085	1400	2.77	3.37			4	15.7	14.3	3.60	3.16	A-AA	33.0	31.1

Tag **0233** Pen **4** Tattoo **SMB 233W**
 Contact **SHIRLEY M. BILTON - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **29Jan2009** Colour
 SireSire **HILLTOP ORCHARD N UGGET 29N**
 Sire **WEST WINDS SANTIAGO 1S**
 Dam **WEST WINDS TOMBOY 133T**
 DamSire **FERGIE 8M**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	41	41	57	38	6	18	1	70	4	13	13
ABC Acc	0 31	-1 58	37 48	17 16	7 50	44 49	-1.25 53	.27 47	-32 47	-88 62	1533
%wb	81	67	77	62	40	62	21	29	51	68	45

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	84	721	102	945	1280	2.91	3.21			2	16.5	15.5	3.35	3.06	A	34.5	33.3

Tag **0241** Pen **4** Tattoo **SMB 241W**
 Contact **SHIRLEY M. BILTON - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **03Jan2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS PANDORA 41P**
 DamSire **WEST WINDS HERDSMAN 32H**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	69	82	68	64	7	23	1	58	1	4	15
ABC Acc	3 36	-3.6 60	39 51	22 25	8 53	47 52	-1.24 52	.15 47	-40 47	-1.58 64	1657
%wb	96	98	84	89	43	70	21	16	13	20	53

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	87	709	101	1050	1355	2.72	3.19			3	16.5	14.8	3.05	2.62	A	33.0	30.8

Tag **0416** Pen **4** Tattoo **SMB 416W**
 Contact **SHIRLEY M. BILTON - WEST WIND BLONDES**
 HC/Breed **P BLONDE D-AQUITAINE** **403-549-2371**
 Birthdate **21Jan2009** Colour
 SireSire **FERGIE 8M**
 Sire **WEST WINDS RAINIER 11R**
 Dam **WEST WINDS NANNY 414N**
 DamSire **WEST WINDS HERDSMAN 32H**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	27	32	95	65	31	73	2	66	7	5	28
ABC Acc	-1 36	.7 60	53 51	22 26	21 54	73 53	-1.02 54	.22 49	-28 49	-1.40 65	2152
%wb	58	49	98	89	88	96	71	26	77	28	76

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	96	764	112	1050	1435	3.41	3.53			4	17.0	15.7	3.85	3.45	A-AA	33.5	32.0



Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
BLONDE D-AQUITAINE	14	100	92	757	1047	1134	1224	1307	1395	3.11	3.48			3	16.9	15.8	3.51	3.21	34.7
Group Averages	14	100	92	757	1047	1134	1224	1307	1395	3.11	3.48			3	16.9	15.8	3.51	3.21	34.7

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.